

DECODUCT



MANUFACTURED IN ACCORDANCE WITH
BRITISH STANDARDS

CODING SYSTEM FOR DADO TRUNKING

D P - 0

D : Decoduct

P : Perimeter trunking with profile number code as suffix

e.g.

P1 : **BCB** (Bevelled top lid, centre lid, bevelled bottom lid)

P2 : **BCA** (Bevelled top lid, centre lid, angle bottom lid)

P3 : **ACB** (Angle top lid, centre lid, bevelled bottom lid)

P4 : **ACA** (Angle top lid, centre lid, angle bottom lid)

- : Accessory code, if any

e.g. : **BU1** - Base Unit for Profile P1

BL1 - Bevelled Lid for Profile P1

FT2 - Flat Tee for Profile P2

IB3 - Internal Bend (set) for Profile P3

EC3 - End Cap (set) for Profile P3

0 : Size code as in catalogue

e.g. :

0 : 160 mm x 50 mm

Other sizes available on request

PERIMETER SYSTEMS





DADO Trunking & Fittings *Symphony*



BASE

Item code	Standard packs	Bulk packs
DP1 BU1 0	2 x 2.9 Mtr	-



CHAMFERED LID (TOP)

Item code	Standard packs	Bulk packs
DP1 BL1 0	2 x 2.9 Mtr	-



CENTRE LID

Item code	Standard packs	Bulk packs
DP1 CL1 0	2 x 2.9 Mtr	-



CHAMFERED LID (BOTTOM)

Item code	Standard packs	Bulk packs
DP1 BL1 0	2 x 2.9 Mtr	-



INTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP1 IB1	5 Sets	200 Sets

Standard Size : 160 mm x 50 mm
 Standard Length: 2.9 metre. Alternative lengths can be supplied to order
 Standard Set : 3 pieces (for internal bend, external bend & Coupler)
 and a pair for end cap
 Standard Colour: White. Other finishes, designs and colours
 are available on request



EXTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP1 EB1	5 Sets	130 Sets



COUPLER (Set)

Item code	Standard packs	Bulk packs
DP1 C1	5 Sets	200 Sets



END CAP L/R (Set)

Item code	Standard packs	Bulk packs
DP1 EC1L/R	5 Sets	200



FLAT ANGLE

Item code	Standard packs	Bulk packs
DP1 FA1	1 Set	-



FLAT TEE

Item code	Standard packs	Bulk packs
DP1 FT1	1 Set	-



BASE

Item code	Standard packs	Bulk packs
DP2 BU2 0	2 x 2.9 Mtr	-



CHAMFERED LID (TOP)

Item code	Standard packs	Bulk packs
DP2 BL2 0	2 x 2.9 Mtr	-



CENTRE LID

Item code	Standard packs	Bulk packs
DP2 CL2 0	2 x 2.9 Mtr	-



ANGLE LID (BOTTOM)

Item code	Standard packs	Bulk packs
DP2 AL2 0	2 x 2.9 Mtr	-



INTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP2 IB2	5 Sets	200 Sets

DADO Trunking & Fittings *Signature*

Standard Size : 160 mm x 50 mm

Standard Length: 2.9 metre. Alternative lengths can be supplied to order

Standard Set : 3 pieces (for internal bend, external bend & Coupler) and a pair for end cap

Standard Colour: White. Other finishes, designs and colours are available on request



EXTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP2 EB2	5 Sets	130 Sets



COUPLER (Set)

Item code	Standard packs	Bulk packs
DP2 C2	5 Sets	200 Sets



END CAP L/R (Set)

Item code	Standard packs	Bulk packs
DP2 EC2 L/R	5 Sets	200 Sets



FLAT ANGLE UP/DOWN

Item code	Standard packs	Bulk packs
DP2 FA2 U/D	1 Set	-



FLAT TEE UP/DOWN

Item code	Standard packs	Bulk packs
DP2 FT2 U/D	1 Set	-



BASE

Item code	Standard packs	Bulk packs
DP3 BU3 0	2 x 2.9 Mtr	-



ANGLE LID (TOP)

Item code	Standard packs	Bulk packs
DP3 AL3 0	2 x 2.9 Mtr	-



CENTRE LID

Item code	Standard packs	Bulk packs
DP3 CL3 0	2 x 2.9 Mtr	-



CHAMFERED LID (BOTTOM)

Item code	Standard packs	Bulk packs
DP3 BL3 0	2 x 2.9 Mtr	-



INTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP3 IB3	5 Sets	200 Sets

DADO Trunking & Fittings *Harmony*

Standard Size : 160 mm x 50 mm

Standard Length : 2.9 metre. Alternative lengths can be supplied to order

Standard Set : 3 pieces (for internal bend, external bend & coupler) and a pair for end cap

Standard Colour: White. Other finishes, designs and colours are available on request



EXTERNAL BEND (Set)

Item code	Standard packs	Bulk packs
DP3 EB3	5 Sets	130 Sets



COUPLER (Set)

Item code	Standard packs	Bulk packs
DP3 C3	5 Sets	200 Sets



END CAP L/R (Set)

Item code	Standard packs	Bulk packs
DP3 EC3 L/R	5 Sets	200 Sets



FLAT ANGLE UP/DOWN

Item code	Standard packs	Bulk packs
DP3 FA3 U/D	1 Set	-



FLAT TEE UP/DOWN

Item code	Standard packs	Bulk packs
DP3 FT3 U/D	1 Set	-



DADO Trunking & Fittings Chorus



BASE UNIT

Item code	Standard packs	Bulk packs
DP4 BU4 0	2 x 2.9 Mtr	-



ANGLE LID (TOP)

Item code	Standard packs	Bulk packs
DP4 AL4 0	2 x 2.9 Mtr	-



CENTRE LID

Item code	Standard packs	Bulk packs
DP4 CL4 0	2 x 2.9 Mtr	-



ANGLE LID (BOTTOM)

Item code	Standard packs	Bulk packs
DP4 AL4 0	2 x 2.9 Mtr	-



INTERNAL BEND (SET)

Item code	Standard packs	Bulk packs
DP4 IB4 0	5 Sets	200

DADO Trunking & Fittings Chorus

Standard Size : 160 mm x 50 mm

Standard Length : 2.9 metre. Alternative lengths can be supplied to order

Standard Set : 3 pieces (for internal bend, external bend & coupler) and a pair for end cap

Standard Colour: White. Other finishes, designs and colours are available on request



EXTERNAL BEND (SET)

Item code	Standard packs	Bulk packs
DP4 EB4	5 Sets	130



COUPLER (SET)

Item code	Standard packs	Bulk packs
DP4 C4	5 Sets	200



END CAP L/R (SET)

Item code	Standard packs	Bulk packs
DP4 EC4 L/R	5 Sets	200




FLAT ANGLE

Item code	Standard packs	Bulk packs
DP4 FA4	1 Set	-




FLAT TEE

Item code	Standard packs	Bulk packs
DP4 FT4	1 Set	-



1 GANG

Item code	Size (mm)	Standard packs	Bulk packs
D P 1SB	87 x 87 x 25	20	320



2 GANG

Item code	Size (mm)	Standard packs	Bulk packs
D P 2SB	87 x 147 x 25	10	160



WOOD BURL

Item codes for profiles and accessories should be suffixed with /WB.
eg. for bevelled lid of profile 2 - to read as DP2 BL2 0/WB



WOOD GRAIN

Item codes for profiles and accessories should be suffixed with /WG.
eg. for bevelled lid of profile 2 - to read as DP2 BL2 0/WG



WHITE MARBLE

Item codes for profiles and accessories should be suffixed with /WM.
eg. for bevelled lid of profile 2 - to read as DP2 BL2 0/WM



GREEN MARBLE

Item codes for profiles and accessories should be suffixed with /GM.
eg. for bevelled lid of profile 2 - to read as DP2 BL2 0/GM




BLACK MARBLE

Item codes for profiles and accessories should be suffixed with /BM.
eg. for bevelled lid of profile 2 - to read as DP2 BL2 0/BM



Skirting Trunking System



- 3 compartment mini skirting trunking suitable for commercial and domestic use.
- An unobtrusive and aesthetically designed system.
- Three compartments segregate power, data and communication cabling.
- Purpose designed accessory box adaptor, which overlaps the trunking allowing tolerance for on site cutting.
- High impact resistant and sleek system designed as a neat and economical skirting.
- Choice of custom decorative designs (eg. wood burl, wood grain and marble) and colours are available. Ask for design and colour database.

Skirting Trunking Systems



SKIRTING TRUNKING (3 compartments)

Item code	Size (mm)	Standard packs		Bulk packs
		Pcs	Mtrs	
DSKT 1	100 x 25	2	5.8	-



EXTERNAL BEND

Item code	Standard packs	Bulk packs
DSKEB 1	10	400



INTERNAL BEND

Item code	Standard packs	Bulk packs
DSKIB 1	10	550




ACCESSORY BOX MOUNTING ADAPTOR


Item code	Standard packs	Bulk packs
DSKA 1	10	160




Skirting Trunking Fittings



COUPLER		
Item code	Standard packs	Bulk packs
DSKC 1	50	2000



END CAPS		
Item code	Standard packs	Bulk packs
DSKEC 1/R	100	4000
DSKEC 1/L	100	4000



CABLE RETAINER		
Item code	Standard packs	Bulk packs
DSKCR 1	100	4000

Decorative Finishes



Wood Burl



Wood Grain



White Marble



Green Marble

Other finishes and designs are available on request

Options : White. Other colours are available upon request • Standard length 2.9 meters

Ceiling Coving Trunking

Standard Size : 127 mm x 127 mm
 Standard Length: 2.9 metre. Alternative lengths can be supplied to order



COVING TRUNKING

Item code	Standard packs	Bulk packs
DCT 127	2 x 2.9 Mtr	-



EXTERNAL BEND

Item code	Standard packs	Bulk packs
DCEB	2	-



INTERNAL BEND

Item code	Standard packs	Bulk packs
DCIB	2	-



COUPLER

Item code	Standard packs	Bulk packs
DCC	6	-



END CAP

Item code	Standard packs	Bulk packs
DCEC	2	-

TECHNICAL SPECIFICATIONS



Perimeter Systems - DADO Trunking

Decoduct PVC Perimeter (DADO) Trunking is a new, large capacity Cable Management System for use in modern offices, hospitals, laboratories or workshops, and is ideal for both new building projects and refurbishments.

Salient features of this system include:

- Individual compartment lids for safety and ease of access, with easy clip on features.
- End caps with easy clip on features
- Self aligning Couplers
- External bends featuring internal segregators which offer greater retention and alignment of fitting

Decoduct PVC Perimeter (DADO) Trunking is available in a wide range of decorative finishes in addition to the standard white colour, hence the whole system can be colour coordinated to blend with the interior design/environment

Fabricated DADO Trunking Accessories such as Angles & Tees are under development, and when ready would complete the system and meet the total project requirements of the contractor.

Decoduct PVC DADO Trunking Component Chart

Components	(P1) Profile 1	(P2) Profile 2	(P3) Profile 3	(P4) Profile 4
Base Unit BU1	1	-	-	-
BU2	-	1	-	-
BU3	-	-	1	-
BU4	-	-	-	1
Bevelled Lid BL1	2	-	-	-
BL2	-	1	-	-
BL3	-	-	1	-
Centre Lid CL1	1	-	-	-
CL2	-	1	-	-
CL3	-	-	1	-
CL4	-	-	-	1
Angle Lid AL2	-	1	-	-
AL3	-	-	1	-
AL4	-	-	-	2
Internal Bend (Set) (Number Of Sets Depends On Actual On-Site Requirement)	IB 1	IB 2	IB 3	IB 4
External Bend (Set) (Number Of Sets Depends On Actual On-Site Requirement)	EB 1	EB 2	EB 3	EB 4
Coupler (Set) (Number Of Sets Depends On Actual On-Site Requirement)	C1	C2	C3	C4
End Cap (Set) (Number Of Sets Depends On Actual On-Site Requirement)	EC 1	EC 2	EC 3	EC 4